

1/18 Tomooka etal JPG-1999-0267051(8728-457)(MU)

FIG. 1




2/18 JP9-1949-0267651(8728-457)

FIG. 2




3/18 JP9-1999-6267US (8728-457)

FIG. 3




JP9-1999-0267US1(8728-457)



5/18 JP9-1999-0X07USI(8728-457)


FIG. 5



a part

JP9-1999-0267USI(8728-459)

FIG. 6









FIG. 7



(a) CONVENTIONAL TRANSFER OF VIDEO DATA






(c) FORMAT OF PACKET VIDEO DATA

8/18 JP9-1999-0267051(8728-457)


FIG. 8




 $\mathbf{1} = \mathbf{r} \cdot \mathbf{r} = \mathbf{f}$

9/19 TP9-1999-0267US1 (8928-457)

FIG. 9




(a) DATA SOURCE AND PROCESSING SYSTEM



(b) LIMITATION OF DATA BAND WIDTH


19/18 JP9-1999-026705/(8128-457)

FIG. 10



11/18 JP9-1949-0267USI(8728-457)


FIG. 11



1 11 6


12/18 JPG-1999-0267 USI(8728-457)

FIG. 12




13/18 JP9-1919-0261051(8128-457)

FIG. 13




14/18 JP9-1999-0267USI(8728-457)

FIG. 14



15/18 TP9-1999-02620SV 8728-457)


FIG. 15



8 4 i c

16/18 JP9-1999-0267USI(8728-457)


FIG. 16



* # 1 (

17/18 JP9-1999-0267051(8928-457)

FIG. 17



(b) BIT ASSIGN OF 30-BIT COLOR

18/18 TP9-1999-0267USJE128-457)

FIG. 18

